TABLE 1

READ/WRITE SAMPLES

	FILM STRUCTURE		CORECIVITY	
	UNDERLAYER	SUPERLATTICE RECORDING LAYER	25℃	70℃
SAMPLE A	PdAg (15 nm)	[Co (0.3 nm)/Pd(1.0 nm)]×15	555 kA/m	365 kA/m
SAMPLE B	PdAg (15 nm)	[Co (0.3 nm)/Pd(0.7 nm)]×20	535 kA/m	485 kA/m

TABLE 2

DEPENDENCE OF Hc DECREASING RATE ON UNDERLAYER MATERIALS AND STRUCTURES

NUMBER	UNDERLAYER (THE ORDER OF LAMINATION FROM THE LEFT)	Hc DECREASING RATE (25℃ → 70℃)		TORQUE LOOP TRANSLATIONAL SYMMETRY OF 180 DEGREE L4
1	Ru (20 nm)	8%	−258 kJ/m ³	13 kJ/m ³
2	PdAg (15 nm)	7.5%	−280 kJ/m ³	16 kJ/m ³
3	MgO (1 nm)/Pd (1 nm) /Ru (3 nm)	16%	−217 kJ∕m ³	−24 kJ∕m ³
4	Pd (1 nm)/MgO (1 nm)/ Pd (1 nm)/Ru (3 nm)	7%	−276 kJ/m ³	21 kJ/m ³
5	Pd (5 nm)-FILM FORMING IN OXYGEN	21%	−200 kJ/m³	−34 kJ/m³

FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6







FIG. 7




DISTANCE FROM Co/Pd INTERFACE [nm]

FIG. 8







7/12

FIG. 11






FIG. 12







(COERCIVITY, COERCIVE FORCE) (25 $^{\circ}$ C \rightarrow 70 $^{\circ}$ C)

FIG. 14




FIG. 15A




FIG. 15B




FIG. 16






FIG. 17





12/12

FIG. 19




FIG. 20

